

Everyone is Different

This is why we created such a wide and diverse range of Riva2 gas fires, with so many possibilities. Whether you prefer contemporary or traditional styles, small or large fires, or live in a home with or without a chimney, you can personalise your Riva2 fire to suit your tastes and requirements.





Contents

Riva2 Fires06
Size Options07
Frame & Surround Options08
Lining Options10
Riva2 40012
Riva2 50018
Riva2 500HL Slimline24
Riva2 60028
Riva2 600HL34
Riva2 750HL40
Riva2 Stone Mantels46
Reflex & Studio Fires54
Electric Fires56
Flue Options58
Summary of Options60
Technical Information62







Relax - it's a Gazco Fire...

When you choose Gazco, quality and innovative technology are assured. From traditional models to contemporary designs, Gazco is committed to creating the ultimate flame-effect gas and electric fires.

Our research and development laboratories are amongst the most advanced in the world, ensuring that the very latest innovations are incorporated into our appliances.

Gazco is an ISO9001 and ISO14001 accredited company. Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing both the UKCA and CE mark. Similarly, our environmental management systems ensure we work in a sustainable manner, whilst endeavouring to protect the environment by minimising any possible impact from our operations.





Warranty

Your Gazco Expert Retailer will provide you with a Two Year Warranty for your new gas fire. This can be extended to a Five Year Warranty by registering your fire with Gazco. Please note, these warranties exclude certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard 1 Year non-extendable Warranty, or minimum statutory warranty for your country. Full warranty terms and conditions are available to view at www.gazco.com.



We are proud to have been recognised as an award-winning manufacturer, for our high-quality products and innovative technology. Find out more at gazco.com/awards

Expert Retailer Network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards.

We are equally careful to make certain they are sold and installed correctly so you can enjoy years of pleasure from your fire. Our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home.

Our experienced retailers will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Find Your Retailer

Find your nearest retailer by visiting: www.gazco.com/retailers







Riva2 Fires

Whichever model you decide upon, you can rest assured each fire has been designed in our world-class UK laboratories. Our state-of-the-art technology ensures all Riva2 fires provide high efficiency heating and superb, natural flames at the touch of a button.







Size Options



400

The most compact fire in the Riva2 range, the conventional flue 400 is perfect for standard sized homes with 16" fireplaces and provides 3.8kW of heat at up to 81% efficiency.



400 x 388mm*



500

Superbly versatile, the Riva2 500 is designed to suit a variety of interiors. This mid-sized fire is available in conventional or balanced flue options and provides up to 4.9kW of high efficiency heat.





500HL Slimline

Designed to be installed in homes without a chimney, the slim depth of the balanced flue Riva2 500HL Slimline allows some of the fire's depth to be housed in a cavity wall. The remaining 75mm depth can be housed in your choice of surround - such as the stylish Esprit (page 24) or a shallow stud-work faux chimney breast.

Size (wxh): 549 x 521mm*



600

The Riva2 600 offers magnificent flame visuals and a versatile, landscape form-factor. Bringing impeccable styling to any interior, this fire is suitable for a variety of homes. Opt for a minimalist Edge fire or choose one of the stylish glass or steel frame options for added presence.

Size (wxh): 594 x 370mm*



600HI

The highly adaptable conventional flue 600HL works equally well in both modern or traditional interiors, thanks to its versatile proportions, which suit standard 22" chimney openings. Whether styled as a contemporary fire or as a magnificent fireplace when coupled with one of Gazco's period stone mantels, you can customise the 600HL to suit your home.

Size (wxh): 600 x 600mm*



750HI

One of the most impressive fires in the Riva2 family, the 750HL provides up to 7kW of high efficiency heat, making it ideal for heating larger spaces. Designed to fit into a standard 36" chimney opening, the Riva2 750HL allows you to make the most of your existing fireplace, with a balanced flue version for homes without a chimney.

Size (wxh): 797 x 713mm*

Complete Control

The Riva2 range features a powerful Programmable Thermostatic remote control, which lets you ignite your fire and adjust the flames from the comfort of your armchair. Riva2 fires can also be pre-set to maintain selected temperatures as well as scheduled to turn on at certain times.





Non-reflective Glass

Many fires in the Riva2 range feature crystal clear non-reflective glass for breath-taking visuals uninterrupted by unwanted reflections. See page 61 for individual fire features.

^{*} Sizes given are those visible upon installation when installed as a frameless Edge fire.

Frame & Surround Options

There are a wealth of frame choices available to perfectly complement your Riva2 fire, outlined on these pages and shown in detail throughout the brochure. Each one of these frames offers a unique styling possibility and is crafted from the very finest materials.

Whether your tastes lie with the contemporary or the traditional, you can find a Riva2 frame to suit your interior. Options include a stunning frameless 'hole in the wall' look, sleek glass and steel finishes, striking colour options and a wealth of hand-crafted stone mantels; ensuring whatever your style preference, there is a Riva2 fire for you.

Frame	Riva2 400	Riva2 500	Riva2 500HL Slimline	Riva2 600	Riva2 600HL	Riva2 750HL
Edge	✓	✓	✓	✓	✓	✓
Icon XS	✓	√	X	✓	√	✓
Ellingham	Х	√	X	X	Х	Х
Verve XS	✓	✓	✓	✓	✓	✓
Evoke Steel	Х	√	Х	X	×	✓
Evoke Glass	Х	✓	Х	X	×	✓
Evoke XS	✓	×	X	X	/ **	Х
Designio2 Steel	Х	×	X	✓ ‡	×	X
Designio2 Glass	Х	×	X	✓	×	X
Esprit	Х	×	✓	X	×	Х
Stone Mantels	Х	/ *	/ *	/ *	/ *	/ *

^{*}Requires additional slip sets or back panels. The Riva2 600HL and 750HL slip sets are available from Gazco. Bespoke sourcing will be required for other fires.

**Available in Black Glass only

[‡] Graphite finish only

Stone Mantels - see pages 46 - 53



Selected Riva2 400, 500, 500HL Slimline, 600, 600HL & 750HL are versatile fires that can be installed into both contemporary and more traditional interiors. Gazco's collection of six high quality stone mantels and hearths, with additional slip sets, will complement these fires to ensure a grand finish and a timeless fireplace for your home.

Edge (Frameless)



Icon XS



Black Glass

Designio2 Glass



Black Glass

Verve XS



Graphite

Esprit



Graphite

Evoke XS



Black Glass front and Graphite rear



White Glass front and Graphite rear

Elllingham



Matt Black Cast Iron

Designio2 Steel



Evoke Steel



Graphite

Evoke Glass (Black Glass)



Black Glass front and Graphite rear

Evoke Glass (White Glass)



White Glass front and Graphite rear

Verve XS (for Riva2 400)





Lining Options

Riva2 fires can be styled with a variety of lining options, which each transform the fire's look. Choose from modern or traditional backdrops for your fire's flames, with different linings depending on the model.









	Echoflame Black Glass	Black Reeded*	Ledgestone-effect*	Brick-effect*
Riva2 400	✓	✓	х	Х
Riva2 500	✓	✓	✓	✓
Riva2 500HL Slimline	✓	✓	Х	Х
Riva2 600	√	Х	✓	✓
Riva2 600HL	✓	х	✓	✓
Riva2 750HL	✓	✓	✓	✓

^{*}Available with Natural Gas versions. For LPG models, lining set can be purchased separately.





Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

13



	Efficie	Efficiency & Heat Output			Chimney or Flue Options Gas Type Fuel Bed Linings							Control			
	E% [†] E kW		kW	t 🕹 💿				LPG		1			11		
	EFFICIENCY	EFFICIENCY CLASS	HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE	
Riva2 400 Conventional Flue	81%	С	3.80kW	1	✓	X	√	✓	✓	✓	✓	Х	Х	✓	

† Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 62.

See additional image on page 62

^{*} For LPG models, lining set can be purchased separately.



Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.





	Efficiency & Heat Output		Chimr	Chimney or Flue Options Gas Type Fuel Bed Linings					Control					
	EFFICIENCY EFFICIENCY HEAT OUTPUT						LPG		1			1		
			BRICK PRE- BALANCED CHIMNEY FABRICATED FLUE		NATURAL LPG GAS GAS		LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE BRICK EFFECT* EFFECT*		PROGRAMMABLE THERMOSTATIC REMOTE		
Riva2 400 Conventional Flue	81%	С	3.80kW	1	1	X	✓	/	1	/	✓	X	X	1

† Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 62.


^{*} For LPG models, lining set can be purchased separately.











[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 62.

^{*} For LPG models, lining set can be purchased separately.







		Efficiency & Heat Output			Chimney or Flue Options Gas Type Fuel Bed Linings									Control
	E% [†]	8	kW	1			0	LPG		1				
	EFFICIENCY	EFFICIENC CLASS	Y HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500 Conventional Flue	76%	D	4.50kW	1	✓	Х	1	✓	1	1	1	✓	✓	1
Riva2 500 Balanced Flue	93.9%	А	4.90kW	Х	X	1	✓	1	1	1	✓	/	1	✓

See additional images on page 5, 52 & 63.

Frame Options

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 63.

^{*} For LPG models, lining set can be purchased separately.







		Efficiency & Heat Output			Chimney or Flue Options Gas Type Fuel Bed Linings									Control
	E%	8	kW				()	LPG		1			11	
	EFFICIENCY	EFFICIENCY CLASS	HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500 Conventional Flue	76%	D	4.50kW	✓	✓	X	✓	✓	1	✓	✓	✓	✓	1
Riva2 500 Balanced Flue	93.9%	А	4.90kW	Х	X	1	✓	/	1	1	✓	/	✓	✓

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 63.

Frame Options

^{*} For LPG models, lining set can be purchased separately.



Frame Options





		Efficiency (Heat Outp		Chim	ney or Flue	Chimney or Flue Options Gas Type Fuel Bed Linings								Control
	E% [†]	8	kW	t				LPG		1				
	EFFICIENCY	EFFICIENC CLASS	Y HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500 Conventional Flue	76%	D	4.50kW	1	✓	X	✓	✓	1	✓	✓	✓	✓	1
Riva2 500 Balanced Flue	93.9%	А	4.90kW	Х	Х	1	√	1	1	√	✓	✓	✓	✓

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 63.

^{*} For LPG models, lining set can be purchased separately.



Riva2 500HL Slimline

The Riva2 500HL Slimline offers you the superb flames of the Riva2 range with a versatile slim profile which allows it to be installed into a cavity wall. Suitable for a huge range of interiors, the 500HL's shallow depth means that it can be conveniently fitted into an exterior wall with the internal leaf removed, ensuring a slim footprint and minimising building work. Once recessed into a cavity wall, this Slimline fire protrudes just 75mm into the room and has a choice of finishing options to suit your interior.







Key Features

- 1. Choice of frame styles including Espirit surround
- 2. Large and small sections of Esprit surround can be fitted either above or below fire
- 3. Shallow firebox depth
- 4. Balanced flue connection
- **5.** Choice of linings
- 6. Highly realistic fuel bed
- 7. Convected heat system outlet
- 8. Radiant heat
- 9. Non-reflective glass
- 10. Programmable Thermostatic remote control*
- 11. Rear exit Balanced Flue Termination Kit included*

 *Not illustrated

Esprit Surround (see left)

An eye-catching alternative to the Edge or frame styling choices, the Esprit adds a surround that houses the Riva2 500HL's remaining 75mm front facing depth once installed into a cavity wall, minimising building work.



Heat Output Chimney or Flue Options Gas Type Fuel Bed Linings Control

EFFICIENCY EFFICIENCY HEAT CLASS OUTPUT CHIMNEY FABRICATED FLUE

86% B 4.60kW X X X ✓ ✓ ✓ ✓ ✓ ✓ ✓ X X X ✓

See additional images on page 48 & 60.

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

Frame Options

Riva2

500HL Slimline Balanced Flue

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 64.

^{*} For LPG models, lining set can be purchased separately.

Riva2 500HL Slimline



Frame Options

of frames available with

For the complete selection

Riva2 fires see pages 8 - 9.







† Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 64.

^{*} For LPG models, lining set can be purchased separately.







		Efficiency & Heat Output		Chin	nney or Flue	Options	Gas Type		Fuel Bed	Linings				Control
	E% [†]	8	kW				6	LPG		11				
	EFFICIENCY	EFFICIENCY CLASS	HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600 Conventional Flue	80.5%	С	5.00kW	✓	✓	X	1	✓	1	1	X	✓	✓	1
Riva2 600 Balanced Flue	92%	А	5.70kW	X	X	✓	1	✓	/	✓	Х	✓	✓	1

images on pages 6 and 65.

See additional

Frame Options

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 65.

^{*} For LPG models, lining set can be purchased separately.







		Efficiency & Heat Output			Chimney or Flue Options Gas Type Fuel Bed Linings									Control	
	E%† E kW					6	LPG		1						
	EFFICIENCY	EFFICIENCY CLASS	' HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE	
Riva2 600 Conventional Flue	80.5%	С	5.00kW	1	✓	X	1	1	1	1	X	✓	✓	✓	
Riva2 600 Balanced Flue	92%	А	5.70kW	Х	X	✓	✓	√	1	1	Х	✓	√	✓	

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 65.

Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

See additional

images on pages 6 and 65.

^{*} For LPG models, lining set can be purchased separately.





	Efficien	Efficiency & Heat Output		Chimney or Flue Options			Gas Type		Fuel Bed	Linings				Control
	E% [†]	8	kW				()	LPG		1				
	EFFICIENCY	EFFICIENC CLASS	Y HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600 Conventional Flue	80.5%	С	5.00kW	1	✓	X	1	1	1	✓	X	✓	✓	1
Riva2 600 Balanced Flue	92%	А	5.70kW	Х	X	1	1	1	1	√	Х	1	1	✓

See additional images on pages 6 and 65.

Frame Options

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 65.

^{*} For LPG models, lining set can be purchased separately.



Riva2 600HL







See additional

images on page

2, 46, 48, 50,

51, 53 & 66.



[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 66.


Frame Options

^{*} For LPG models, lining set can be purchased separately.

Riva2 600HL







† Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 66.

^{*} For LPG models, lining set can be purchased separately.





Riva2 600HL







[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 66.

Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

^{*} For LPG models, lining set can be purchased separately.





	Heat Output		Chimney or Flue Options			Gas Type Fuel Bed		Linings				Control			
	E%	8	kW				()	LPG			1				
	EFFICIENCY	EFFICIENC CLASS	Y HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE	
Riva2 750HL Conventional Flue	81%	С	6.90kW	1	✓	X	✓	✓	/	✓	✓	✓	✓	,	See additional images on page 10,
Riva2 750HL Balanced Flue	92%	А	7.00kW	Х	Х	1	√	1	1	1	/	√	1	✓	47, 49, 51, 53, 59 & back cover.

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 67.

Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

^{*} For LPG models, lining set can be purchased separately.









		fficiency leat Outp		Chimney or Flue Options			Gas Type		Fuel Bed		Linings			Control
	E% [†]	8	kW					LPG		1				
	EFFICIENCY	EFFICIENC CLASS	Y HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 750HL Conventional Flue	81%	С	6.90kW	1	✓	Х	1	✓	1	✓	✓	✓	✓	1
Riva2 750HL Balanced Flue	92%	А	7.00kW	X	X	✓	1	✓	1	✓	√	✓	1	/

† Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 67.

Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

^{*} For LPG models, lining set can be purchased separately.









		Efficiency & Heat Output			Chimney or Flue Options			Gas Type			Linings			Control
	E%	8	kW					LPG		110			1	
	EFFICIENCY	EFFICIENC CLASS	Y HEAT OUTPUT	BRICK CHIMNEY	PRE- FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED*	LEDGESTONE EFFECT*	BRICK EFFECT*	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 750HL Conventional Flue	81%	С	6.90kW	1	✓	X	✓	✓	1	1	✓	✓	✓	1
Riva2 750HL Balanced Flue	92%	А	7.00kW	X	X	1	1	✓	1	✓	√	✓	1	✓

[†] Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 67.

Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

^{*} For LPG models, lining set can be purchased separately.

Riva2 Stone Mantels



Traditional Style with a Modern Slant...

Gazco's collection of six high quality stone mantels and optional hearths are available in a choice of either Limestone or Antique White Marble, each piece truly unique by virtue of the naturally occurring veining, subtle tonal differences and indeed even small fossils that may be found in the limestone. Each mantel is a beautiful and natural complement to many of the high efficiency fires shown in this brochure and the perfect way to create a grand finish and a timeless fireplace in your home.



Limestone



Antique White Marble**



Victorian Corbel



Claremont

For more information on Gazco's stone mantels and hearths please see page 68.

Mantel Styles	Claremont	Cavendish Bolection	Georgian Roundel	Grafton	Sandringham	Victorian Corbel
Dimensions △	1555 x	1460 x	1460 x	1415 x	1550 x	1525 x
w x h (mm)	1143	1320	1082	1165	1220	1170



*Riva2 600HL & 750HL slip sets are available from Gazco. | **Whilst stocks last.

Bespoke sourcing will be required for Riva2 400, 500, 600, 530 & 500HL Slimline slip sets or back panels for any other fires.

\$\Delta\$ Overall visible dimensions upon installation. For more detailed information, including firebox dimensions, please see page 62 onwards.



Sandringham



Georgian Roundel



Cavendish Bolection



Grafton

(All the above images are shown with a Riva2 750HL fire and matching slip sets)

Riva2 Stone Mantels









Fire Choices	Pages			
Riva2 400 Edge	12 - 17			
Riva2 500 Edge	18 - 23			
Riva2 500HL Slimline Edge	24 - 27			
Riva2 600 Edge	28 - 33			
Riva2 600HL Edge	34 - 39			
Riva2 750HL Edge	40 - 45			

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)			
Claremont	1555 x 1143	915 x 915			
Cavendish Bolection	1460 x 1320	915 x 915			
Georgian Roundel	1460 x 1082	915 x 915			
Grafton	1415 x 1165	915 x 915			
Sandringham	1550 x 1220	915 x 915			
Victorian Corbel	1525 x 1170	915 x 915			

Stone Choices





Limestone

Antique White Marble*

For further details on the complementary hearth options and slip sets, please see page 68. *Whilst stocks last.



Riva2 Stone Mantels (continued)









With matching stone slip sets available, these impressive stone mantels have been specifically designed to complement fires such as the Riva2 600HL and Riva2 750HL Edge fires. However, by incorporating a back panel of your choosing, these work equally well with the Riva2 400, 500, 500HL and 600 Edge models. Your styling options continue with a choice of distinctive lining options, allowing you to choose a look that will best suit you and your home.

Fire Choices	Pages			
Riva2 400 Edge	12 - 17			
Riva2 500 Edge	18 - 23			
Riva2 500HL Slimline Edge	24 - 27			
Riva2 600 Edge	28 - 33			
Riva2 600HL Edge	34 - 39			
Riva2 750HL Edge	40 - 45			

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

Stone Choices





Limestone

Antique White Marble*



Riva2 Stone Mantels (continued)







The Riva2 stone mantel collection features the finest quality hand-finished craftsmanship and provides the ultimate in aesthetic and tactile appeal for your home. Paired with a high efficiency Riva2 fire, you can enjoy all the authentic charm of a highly realistic log-effect fire in a timeless mantel fireplace, fully operational from the comfort of your favourite armchair using the convenient Programmable Thermostatic remote control supplied.

Fire Choices	Pages			
Riva2 400 Edge	12 - 17			
Riva2 500 Edge	18 - 23			
Riva2 500HL Slimline Edge	24 - 27			
Riva2 600 Edge	28 - 33			
Riva2 600HL Edge	34 - 39			
Riva2 750HL Edge	40 - 45			

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

Stone Choices





Limestone

Antique White Marble*



Gazco Reflex & Studio Fires









Reflex Gas Fires

Delivering the ultimate in realistic flames, Reflex fires provide extraordinary visuals that are almost indistinguishable from a real woodburning fire.

Ambience is heightened with each fire's powerful LED ember bed, which provides glowing up-lighting below the flames for added realism.

A range of fire options include single sided conventional and balanced flue models that can be installed with a choice of stylish frames or Gazco's range of classical stone mantels, depending on your preference. For a strikingly bespoke installation, Reflex two and three sided fires grant an unparalleled view of the stunning flames, which can be viewed from almost anywhere in the room. These elegantly contemporary fires allow for a beautifully unique fireplace, whether positioned centrally or as a corner fire.



Gazco Studio fires combine eye-catching aesthetics, superb heating performance and versatile installation options to create a stylish, contemporary gas fire range. Suitable for a range of homes with or without a chimney, the Studio collection includes landscape fires and freestanding stoves, as well as Slimline fires for cavity wall installation.

The striking flame visuals of the Studio can be customised with a host of different styling options such as frames and lining options, depending on the model, letting you tailor your fire to your tastes.

Further information about these exciting ranges can found in separate, dedicated brochures, which can be requested from your local retailer or viewed online at www.gazco.com.

Have you considered electric?







In addition to the wide selection of gas fires shown in this brochure, the Stovax Heating Group is pleased to offer a vast portfolio of electric models with superb flame visuals and breath-taking realism that can be controlled from the comfort of your favourite chair.

Offered in a wealth of styling options, these fires feature the very latest technology with realistic flames for a versatile and stunning focal point in any home – all without the need for a chimney!





From our luxury Onyx Avanti electric fire collection, to the versatility of the Gazco eStudio or eReflex ranges, each model can be enjoyed with or without the heat for year-round ambience.

Available in frameless inset options, options to suit matching classic stone mantels, or multi-sided versions, there is a design to suit every home.

For more information, visit www.gazco.com/electric, or speak to your local retailer.



Your Home and Flue Requirements...

Conventional Flue

Conventional flue systems are easily recognisable as either a conventional brick or stone chimney, or as a pre-fabricated chimney system. Should your home have neither at present, it is usually possible to have a pre-fabricated system installed in your home if required.



Brick/Stone Chimney

The chimney stack rises well above the roofline and is topped by a traditional chimney pot or gas terminal. This type of chimney relies on the natural circulation of heated air to expel the products of combustion up your chimney.



Pre-fabricated Flues

(Class 1 & 2)

You will see a metal flue cowl on your roof. Some are all metal whilst others may terminate through a short rectangular pot (but without a chimney stack). These flues create the same circulation of heated air as a brick or stone chimney.

Balanced Flue

Balanced flues work in conjunction with Gazco's Glass Fronted gas fires only. The appliance is completely sealed from the room into which it is installed (so there are no draughts and heating efficiency is increased) and a twin-wall pipe vents directly to an outside wall.





Balanced Flue

(No chimney required)

Air for combustion is drawn in through the outer pipe whilst the inner pipe removes the combustion gases to the exterior of the property. Depending on the fire selected, the twin-walled pipe may exit horizontally through an external wall or vertically through the roof. Gazco offers a comprehensive range of balanced flue system components. Please refer to our dedicated Concentric Flue System brochure which can be requested from your retailer or viewed online at www.gazco.com.

No Air Vent Required (UK)





All fires shown with this symbol have the advantage of not normally requiring an air vent*. Please discuss this in full with your local retailer.

*Requirements in the Republic of Ireland are different.





^{*} ODS (Oxygen Depletion Sensor) - This Conventional Flue safety feature will shut off the gas supply to the burner in the event of a reduction to oxygen levels in the room.

[#] Efficiency figures given are based upon the maximum achieved in the options available for each model, for further technical information, please see pages 62 - 69.

^{**} For LPG models, lining set can be purchased separately.

Technical Information

Riva2 400

RIVA2 400 FIRE INFORMATION

	Product	Flue	Gas	Heat	Heat	Energy Efficiency	Efficiency	Remote Control	Lining -	Opening Size (mm)		
	Code	Туре	Type	Input	Output	Class	Linelettey	Control	Lilling	W	h	d
	134-050	Conventional	Nat Gas	5.20kW	3.80kW	С	81%	Prog. Thermostatic	Black Reeded	425	560	350
X	134-042	Conventional	Nat. Gas	5.20kW	3.80kW	С	81%	Prog. Thermostatic	Black Glass	425	560	350
	134-416	Conventional	LPG	5.10kW	3.80kW	С	81%	Prog. Thermostatic	Black Glass	425	560	350




RIVA2 400 FRAME INFORMATION

5		D 1 . C 1	Frame Size (mm)				
Description	Frame Finish	Product Code	W	h	d		
Verve XS	Graphite	934-045	617	887	46		
Evoke XS Glass	Black Glass front & Graphite rear	934-106	617	617	32		
Evoke XS Glass	White Glass front & Graphite rear	934-113	617	617	32		
Icon XS	Black Glass	934-120	617	617	17		

RIVA2 400 DIMENSIONS (mm)

402




RIVA2 400 OPTIONS

For LPG Riva2 gas fires, the below lining sets can be purchased separately.

Product Code Description

934-153	Riva2 400 Black Reeded Lining Set
934-140	Riva2 400 Black Glass Lining Set
999-620	Remote System Mains Adaptor



The above information is to assist you in your choice of a suitable Gazco fire. This is not intended to be all the information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com

Riva2 500

FIRE INFORMATION

Product	Flue Type	Gas	Heat	Heat	Energy	Efficiency	Remote	Lining	Opening Size (mm)		
Code	riue rype	Туре	Input	Output	Class	Linciency	Control	Lilling	W	h	d
134-070	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Black Reeded	560	565	350
134-147	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Brick-effect	560	565	350
134-026	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Black Glass	560	565	350
134-435	Conventional	LPG	6.4kW	4.5kW	D	76%	Prog. Thermostatic	Black Glass	560	565	350
134-382	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Ledgestone-effect	560	565	350
134-275	Balanced	Nat. Gas	5.8kW	4.9kW	Α	93.9%	Prog. Thermostatic	Black Reeded	560	565	350
134-321	Balanced	Nat. Gas	5.8kW	4.9kW	А	93.9%	Prog. Thermostatic	Brick-effect	560	565	350
134-346	Balanced	Nat. Gas	5.8kW	4.9kW	Α	93.9%	Prog. Thermostatic	Black Glass	560	565	350
134-682	Balanced	LPG	5.7kW	4.9kW	А	93.9%	Prog. Thermostatic	Black Glass	560	565	350
134-333	Balanced	Nat. Gas	5.8kW	4.9kW	Α	93.9%	Prog. Thermostatic	Ledgestone-effect	560	565	350

FRAME INFORMATION

		Product	Frame Size (mm)			
Description	Frame Finish	Code	W	h	d	
Icon XS	Black Glass	934-388	855	694	17	
Verve XS	Graphite	934-033	890	621	57	
Ellingham	Matt Black Cast Iron	934-470	885	678	75	
Evoke Glass	Black Glass front/ Graphite rear	934-366	869	710	40	
Evoke Glass	White Glass front/ Graphite rear	934-397	869	710	40	
Evoke Steel	Graphite front and rear	934-330	869	710	40	

[†] For more Balanced Flue information please refer to our Concentric Flue System brochure which can be viewed at www.gazco.com

RIVA2 500 OPTIONS


Product Code


For LPG Riva2 gas fires, the below lining sets can be purchased separately.


Description

Froduct Code	Description
934-005	Black Reeded Lining Set - Conventional Flue
934-030	Brick-effect Lining Set - Conventional Flue
934-018	Black Glass Lining Set - Conventional Flue
934-206	Ledgestone-effect Lining Set - Conventional Flue
934-159	Black Reeded Lining Set - Balanced Flue
934-203	Brick-effect Lining Set - Balanced Flue
934-109	Black Glass Lining Set - Balanced Flue
934-219	Ledgestone-effect Lining Set - Balanced Flue
999-620	Remote system mains adaptor
8572	Warm air ducting kit (2 outlets)- Balanced Flue
8509	Balanced flue kit - up and out †
8524	Balanced flue kit - vertical †
999-201	Horizontal Exit terminal guard (required for below 2m) †
928-315	Chimney Renovation Kit

RIVA2 500 DIMENSIONS (mm)







CHIMNEY RENOVATION KIT

This innovative addition allows your balanced flue Riva2 500 fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements. See page 69 for diagram.



Riva2 500HL Slimline

RIVA2 500HL SLIMLINE FIRE INFORMATION

Product	Flue Gas		Heat	Heat	Energy Efficiency	Efficiency	Remote	Lining	Opening Size (mm)		
Code	Туре	Туре	Input	Output	Class		Control	9	w	h	d
134-115	Balanced	Nat Gas	6.00kW	4.60kW	В	86%	Prog. Thermostatic	Black Reeded	565	695	240
134-102	Balanced	Nat. Gas	6.00kW	4.60kW	В	86%	Prog. Thermostatic	Black Glass	565	695	240
134-478	Balanced	LPG	4.90kW	3.80kW	С	84%	Prog. Thermostatic	Black Glass	565	695	240

RIVA2 500HL SLIMLINE FRAME INFORMATION

		Due do et Ce de	Frame Size (mm)				
Description	Frame Finish	Product Code	W	h	d		
Verve XS	Graphite	934-229	890	755	57		
Esprit	Graphite	934-268	746	1211	125		


RIVA2 500HL SLIMLINE OPTIONS

For LPG Riva2 gas fires, the below lining sets can be purchased separately.

Product Code Description


934-289	Riva2 500 HL Slimline Balanced Flue Black Reeded Lining Set
934-306	Riva2 500 HL Slimline Balanced Flue Black Glass Effect Lining Set
999-620	Remote System Mains Adaptor

RIVA2 500HL SLIMLINE DIMENSIONS (mm)





RIVA2 500HL SLIMLINE ESPRIT SURROUND

When installed into the inner leaf of a cavity wall, the front face of the appliance will require a 75mm (3") rebated surround complete with a finishing slip to house the remaining appliance depth. Alternatively, a slim studwork chimney breast could be constructed and the appliance can then either be finished as an "Edge" installation or finished with the Verve XS frame. The appliance is also suitable for installation into a cavity wall in conjunction with the Esprit front which will house the remaining depth.




TYPICAL INSTALLATION FOR ESPRIT SURROUND






TYPICAL INSTALLATION FOR EDGE & VERVE XS



REAR EXIT BALANCED FLUE TERMINATION KIT

The Riva2 500HL Slimline comes complete with a specific rear exit balanced flue termination kit (8526) included.

 $395 \times 200 \times 200 \text{ mm}$ (H x W x D) Guard supplied. Cut to length as required on site.



Riva2 600

FIRE INFORMATION

Product Code		Flue Type	Gas	Heat Input	Heat	Energy Efficiency Class	Efficiency	Remote	Lining _	Opening Size (mm)		
		,,	Туре		Output			Control		W	h	d
	134-028	Conventional	Nat. Gas	6.90kW	5.00kW	C	80.5%	Prog. Thermostatic	Black Glass	674	564	350
	134-509	Conventional	LPG	6.50kW	4.80kW	C	80.5%	Prog. Thermostatic	Black Glass	674	564	350
	134-044	Conventional	Nat. Gas	6.90kW	5.00kW	С	80.5%	Prog. Thermostatic	Brick-effect	674	564	350
	134-052	Conventional	Nat. Gas	6.90kW	5.00kW	С	80.5%	Prog. Thermostatic	Ledgestone-effect	674	564	350
	134-104	Balanced Flue	Nat. Gas	6.40kW	5.30kW	Α Α	92%	Prog. Thermostatic	Black Glass	668	646	329
	134-600	Balanced Flue	LPG	6.70kW	5.70kW	Α	92%	Prog. Thermostatic	Black Glass	668	646	329
	134-123	Balanced Flue	Nat. Gas	6.40kW	5.30kW	Α	92%	Prog. Thermostatic	Brick-effect	668	646	329
	134-141	Balanced Flue	Nat. Gas	6.40kW	5.30kW	Α	92%	Prog. Thermostatic	Ledgestone-effect	668	646	329

RIVA2 600 FRAME INFORMATION

		D 1 . C 1	Fran	Frame Size (mm)				
Description	Frame Finish	Product Code	W	h	d			
Icon XS	Black Glass	934-447	933	668	26			
Verve XS	Graphite	934-504	990	685	67			
Designio2 Steel	Graphite	934-622	790	603	38			
Designio2 Glass	Black Glass	934-649	790	603	41			

RIVA2 600 OPTIONS

For LPG Riva2 gas fires, the below lining sets can be purchased separately.


Product Code Description

934-534	Riva2 600 Black Glass Lining Set
934-251	Riva2 600 Brick-effect Lining Set
934-405	Riva2 600 Ledgestone-effect Lining Set
8572	Warm Air Ducting Kit (2 Outlets)
999-620	Remote System Mains Adaptor
928-315	Chimney Renovation Kit





RIVA2 600 DIMENSIONS (mm)

Conventional Flue



Balanced Flue





65

Riva2 600HL

RIVA2 600HL FIRE INFORMATION

Product	Flue	Gas	Heat	Heat	Energy Efficiency	Efficiency	Remote	Lining	Opening Size (mm)			
Code	Туре	Type	Input	Output	Class	Control	Control	Control	Lilling	w	h	d
134-330	Conventional	Nat. Gas	7.70kW*	5.30kW	D	76%	Prog. Thermostatic	Brick-effect	671	793	350	
134-343	Conventional	Nat Gas	7.70kW*	5.30kW	D	76%	Prog. Thermostatic	Ledgestone-effect	671	793	350	
134-324	Conventional	Nat. Gas	7.70kW*	5.30kW	D	76%	Prog. Thermostatic	Black Glass	671	793	350	
134-661	Conventional	LPG	6.60kW	4.60kW	D	76%	Prog. Thermostatic	Black Glass	671	793	350	

^{*} Riva2 600HL NG: 7.7kW is the gross input figure. The net input of the product is 6.9kW and does not normally require any addition purpose provided ventilation or modification to the building in order to provide extra air circulation as a result of installing this product.

RIVA2 600HL FRAME INFORMATION

		Donalout Code	Frame Size (mm)			
Description	Frame Finish	Product Code	W	h	d	
Verve XS	Graphite	934-702	990	915	64	
Evoke XS Glass	Black Glass front & Graphite rear	934-734	926	889	32	
Icon XS	Black Glass	934-715	933	898	17	

STONE MANTEL INFORMATION


Claremont (requires slip set)	Antique White Marble*	9002CLWM	1555	1143	190
Claremont (requires slip set)	Limestone	9002CLTL	1555	1143	190
Cavendish Bolection (requires slip set)	Antique White Marble*	9000CAWM	1460	1320	207
Cavendish Bolection (requires slip set)	Limestone	9000CATL	1460	1320	207
Georgian Roundel (requires slip set)	Antique White Marble*	9001GEWM	1460	1082	200
Georgian Roundel (requires slip set)	Limestone	9001GETL	1460	1082	200
Grafton (requires slip set)	Antique White Marble*	9003GRWM	1415	1165	105
Grafton (requires slip set)	Limestone	9003GRTL	1415	1165	105
Victorian Corbel (requires slip set)	Antique White Marble*	9004VIWM	1525	1170	250
Victorian Corbel (requires slip set)	Limestone	9004VITL	1525	1170	250
Sandringham (requires slip set)	Antique White Marble*	9005SAWM	1550	1220	227
Sandringham (requires slip set)	Limestone	9005SATL	1550	1220	227
Slip set for Stone Mantel	Antique White Marble*	934-804	N/A	N/A	N/A
Slip set for Stone Mantel	Limestone	934-783	N/A	N/A	N/A
Small Hearth for Stone Mantel	Antique White Marble*	934-241	1524	53	228
Small Hearth for Stone Mantel	Limestone	934-193	1524	53	228
Large Hearth for Stone Mantel	Antique White Marble*	934-489	1625	53	457
Large Hearth for Stone Mantel	Limestone	934-351	1625	53	457


^{*} Whilst stocks last.

RIVA2 600HL OPTIONS

For LPG Riva2 gas fires, the below lining sets can be purchased separately.

Product Code	Description
934-572	Riva2 600HL Conventional Flue Brick Effect Lining Set
934-588	Riva2 600HL Conventional Flue Ledgestone Lining Set
934-591	Riva2 600HL Conventional Flue Black Glass Lining Set
999-620	Remote System Mains Adaptor





341mm



FIRE INFORMATION

Product	Flue Type	Gas	Heat	Heat	Energy Efficiency	Efficiency	Remote	Lining	Opening Size (mm		e (mm)
Code	31	Туре	Input	Output	Class		Control	J	W	h	d
134-089	Conventional flue	Nat. Gas	8.70kW	6.30kW	С	81%	Prog. Thermostatic	Black Reeded	816	885	350
134-139	Conventional flue	Nat. Gas	8.70kW	6.30kW	С	81%	Prog. Thermostatic	Brick-effect	816	885	350
134-020	Conventional flue	Nat. Gas	8.70kW	6.30kW	С	81%	Prog. Thermostatic	Black Glass	816	885	350
134-632	Conventional flue	LPG	9.20kW	6.90kW	С	81%	Prog. Thermostatic	Black Glass	816	885	350
134-039	Conventional flue	Nat. Gas	8.70kW	6.30kW	С	81%	Prog. Thermostatic	Ledgestone-effect	816	885	350
134-033	Balanced flue	Nat. Gas	8.40kW	7.00kW	А	92%	Prog. Thermostatic	Black Reeded	816	885	380
134-059	Balanced flue	Nat. Gas	8.40kW	7.00kW	А	92%	Prog. Thermostatic	Brick-effect	816	885	380
134-084	Balanced flue	Nat. Gas	8.40kW	7.00kW	А	92%	Prog. Thermostatic	Black Glass	816	885	380
134-495	Balanced flue	LPG	8.20kW	6.90kW	А	92%	Prog. Thermostatic	Black Glass	816	885	380
134-076	Balanced flue	Nat. Gas	8.40kW	7.00kW	А	92%	Prog. Thermostatic	Ledgestone-effect	816	885	380

RIVA2 750HL FRAME INFORMATION

		Product Code	Frame Size (mm)			
Description	Frame Finish	. rouder code	W	h	d	
Verve XS	Graphite	934-213	1202	1005	57	
Evoke Glass	Black Glass front & Graphite rear	934-245	1117	1034	42	
Evoke Glass	White Glass front & Graphite rear	934-264	1117	1034	42	
Evoke Steel	Graphite front & rear	934-281	1117	1034	42	
Icon XS	Black Glass	934-371	1089	1015	17	


CHIMNEY RENOVATION KIT


This innovative addition allows your balanced flue Riva2 750HL fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements. See page 77 for diagram.

RIVA2 750HL OPTIONS

Product Code	Description
934-011	CF Black Reeded Lining Set
934-060	CF Brick-effect Lining Set
934-226	CF Black Glass Lining Set
934-284	CF Ledgestone-effect Lining Set
934-037	BF Black Reeded Lining Set
934-077	BF Brick-effect Lining Set
934-091	BF Black Glass Lining Set
934-086	BF Ledgestone-effect Lining Set
999-620	Remote System Mains Adaptor
928-315	Chimney Renovation Kit

RIVA2 750HL DIMENSIONS (mm)





67

Stone Mantels

STONE MANTEL INFORMATION

Product Code	Description	Frame Finish	W	h	d
9002CLWM	Claremont (requires slip set)	Antique White Marble*	1555	1143	190
9002CLTL	Claremont (requires slip set)	Limestone	1555	1143	190
9000CAWM	Cavendish Bolection (requires slip set)	Antique White Marble*	1460	1320	207
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460	1320	207
9001GEWM	Georgian Roundel (requires slip set)	Antique White Marble*	1460	1082	200
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460	1082	200
9003GRWM	Grafton (requires slip set)	Antique White Marble*	1415	1165	105
9003GRTL	Grafton (requires slip set)	Limestone	1415	1165	105
9004VIWM	Victorian Corbel (requires slip set)	Antique White Marble*	1525	1170	250
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525	1170	250
9005SAWM	Sandringham (requires slip set)	Antique White Marble*	1550	1220	227
9005SATL	Sandringham (requires slip set)	Limestone	1550	1220	227

HEARTH INFORMATION

934-241	Small Hearth for Stone Mantel	Antique White Marble*	1524	53	228
934-193	Small Hearth for Stone Mantel	Limestone	1524	53	228
934-489	Large Hearth for Stone Mantel	Antique White Marble*	1625	53	457
934-351	Large Hearth for Stone Mantel	Limestone	1625	53	457

RIVA2 600HL SLIP SETS INFORMATION

934-804	Slip set for Riva2 600HL Stone Mantel	Antique White Marble*	N/A	N/A	N/A
934-783	Slip set for Riva2 600HL Stone Mantel	Limestone	N/A	N/A	N/A

RIVA2 750HL SLIP SETS INFORMATION

934-121	Slip set for Riva2 750HL Stone Mantel	Limestone	N/A	N/A	N/A


SMALL & LARGE STONE HEARTHS

Gazco's selection of beautiful stone hearths include either small or large sizes in both Antique White Marble and Limestone options.* The large size is styled with a stepped edge design whilst the small has a flush finish.




Gazco offers a comprehensive range of balanced flue system components. Please refer to our dedicated Concentric Flue System brochure which can be requested from your retailer or viewed online at **www.gazco.com**.

Vertical from the top of the appliance then horizontally out




Vertical from the top of the appliance then horizontally out



Riva2 750HL Nat Gas & LPG

Vertical from the top of the appliance






Balanced Flue Options

^{*} Whilst stocks last.

Chimney Renovation Kit For Riva2 500, 600 & 750HL

This innovative addition allows your balanced flue Riva2 500, 600 or 750HL fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements.



the cost of your product back!*

For further home inspiration you can view real life installations at our Customer Showcase page and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- · Gain a second entry by registering your product online for your free extended warranty at gazco.com/registration



"It creates a fabulous cosy feel in the winter"



"We are still over the moon that we won the competition"



alternative to a log burning stove"





View real life installations and submit your review at

gazco.com/customershowcase

* Terms and conditions apply. See online for details



Important Information

Technical Specifications

All specifications given in this brochure are approximate. Actual specifications for each individual product will vary according to model. Your Gazco retailer will be pleased to provide any further information you require. Alternatively you may view or download specification sheets from **www.gazco.com**

Installation and Safety

Gazco gas fires must be fitted by a qualified gas installer (Gas Safe registered in the United Kingdom or RGII registered in the Republic of Ireland) who should also verify the proposed site conditions are fully suitable for the product selected. Complete installation instructions for many models can be obtained prior to purchase by viewing or downloading them from **www.gazco.com**. Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.

Colours/Flame pictures

Owing to variations in studio lighting and printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish/colour samples. Whilst all the flame pictures shown in this brochure are of actual fires, flame pictures may vary depending on the installation, flue conditions and geographical/surrounding features that may effect the efficiency of the flue.

Care and maintenance

Traditional materials, such as polished steel and brass, tarnish on contact with air, especially when also exposed to heat. To help minimise this effect, we recommend fires receive regular treatment with suitable proprietory cleaners. Additionally, please remember that gas fires will require servicing annually by a qualified gas installer Gas Safe registered in the United Kingdom or Bord Gáis registered in the Republic of Ireland).

Warranty and Product Improvement

Your Gazco Expert Retailer will provide you with a Two Year Warranty for your new gas fire. This can be extended to a Five Year Warranty provided your fire has been registered with Gazco. The second and subsequent years are dependant on the appliance being serviced 12 months after installation and annually thereafter and exclude certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard 1 Year Non-Extendable Warranty, or minimum statutory warranty for your country. Full warranty terms and conditions are available to view at www.gazco.com.



Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

Air Ventilation for Gas Fires

To comply with gas appliance installation regulations, the Riva2 750HL conventional flue requires additional ventilation into your room. For further information, please consult either your Gazco retailer or the Gazco Technical Information on our website **www.gazco.com** to confirm the ventilation required. All other fires featured in this brochure do not require additional ventilation.

Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

Furnishings and Ornaments:- www.amara.com; www.cultfurniture.com; www.furniture.com; www.





Gazco Limited, Spitfire Avenue, Skypark, Clyst Honiton, Exeter, Devon, EX5 2FR

Trade Sales

Tel: 01392 261999 • Email: info@gazco.com

Export Sales

Tel: +44 1392 261990 • Email: exportsales@gazco.com

gazco.com 🛐 🍏 🧿







Find Your Retailer

You can find your nearest retailer by visiting: www.gazco.com/retailers



Your Gazco stockist:

Brochure ref: GAZC 1023



Paper sourced from sustainable forests and printed using vegetable-based inks

© All material copyright Gazco Limited 2023 I E & O E A member of the Stovax Group

